Government of Saskatchewan

Crop Report

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 12, July 25, 2013

For the Period July 16 to 22, 2013

Warm weather continues to help advance crop development. Saskatchewan livestock producers have 69 per cent of the 2013 hay crop cut and 43 per cent baled or put into silage, according to Saskatchewan Agriculture's weekly Crop Report.

Rain showers and high humidity has slowed hay progress and decreased hay quality in some areas. Seventy-four per cent of the provincial hay crop is rated as good in quality.

One year ago

Seventy-nine per cent of the 2012 provincial hay crop was cut and 61 per cent was baled or put into silage. Warm weather was helping to quickly advance crops.

Follow the 2013 Crop Report on Twitter @SKGovAg

Hay yields are slightly above the five-year average (2008-2012). The estimated average hay yields on dry land are reported as 1.5 tons per acre for alfalfa and alfalfa/brome hay, 1.3 tons per acre for other tame hay, 1 ton per acre for wild hay and 2 tons per acre for greenfeed.

On irrigated land, the estimated average hay yields are 2.5 tons per acre for alfalfa and alfalfa/brome hay, 2.2 tons per acre for other tame hay, one ton per acre for wild hay and four tons per acre for greenfeed.

Estimated Provincial Hay Yields (tons/acre) July 22, 2013

	Dry land	Irrigated Land
Alfalfa	1.5	2.5
Brome/Alfalfa	1.5	2.5
Other Tame Hay	1.3	2.2
Wild Hay	1	1
Greenfeed	1.9	4

The majority of crops are in good to excellent condition. Eighty-seven per cent of spring wheat, 82 per cent of canola, 80 per cent of lentils and 89 per cent of peas are in good to excellent condition.

Most parts of the province received varying amounts of rain last week ranging from trace to 91 mm. Flooding, hail, wind and insects caused the majority of crop damage.

Across the province, topsoil moisture on cropland is rated as 12 per cent surplus, 80 per cent adequate and eight per cent short. Hay land and pasture topsoil moisture is rated as nine per cent surplus, 82 per cent adequate, eight per cent short and one per cent very short.

Farmers are busy haying and controlling insects and crop disease.

For further information, contact: Grant McLean, PAg,
Cropping Management Specialist, Agriculture Knowledge Centre,
Toll Free: 1-866-457-2377, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

SCIC
SASKATCHEWAN CROP INSURANCE CORPORATION

SK (provincial) Crop conditions - July 22, 2013							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Flax
% excellent	14	15	25	23	21	21	23
% good	59	62	62	64	65	62	63
% fair	21	20	12	13	12	15	13
% poor	6	3	1	0	2	2	1
% very poor	0	0	0	0	0	0	0
	Canola	Mustard	Pea	Lentil	Canaryseed	Chickpea	Sunflower
% excellent	22	22	26	19	14	11	20
% good	60	64	63	61	65	76	80
% fair	14	13	10	17	20	11	0
% poor	3	1	1	2	1	2	0
% very poor	1	0	0	1	0	0	0

Estimated Southeast Hay Yields (tons/acre) - July 22, 2013		
	Dry land	Irrigated Land
Alfalfa	1.5	N/A
Brome/Alfalfa	1.5	N/A
Other Tame Hay	1.3	N/A
Wild Hay	0.9	N/A
Greenfeed	2.1	N/A

Southeastern Saskatchewan (Crop District 1 – Carnduff, Estevan, Redvers, Moosomin and Kipling areas; Crop District 2 – Weyburn, Milestone, Moose Jaw, Regina and Qu'Appelle areas; Crop District 3ASE – Radville and Lake Alma areas)

Crop development is advancing due to warm temperatures and moisture in the region over the past week. However, some areas continue to receive rain. As a result, some hay quality has deteriorated and crops are showing signs of stress. Thunderstorms rolling through the region resulted in varying amounts of rainfall. Heavy rain, hail and strong winds have damaged some crops and some fields are severely lodged. Rainfall recorded in the region ranged from trace to 91 mm. The Frobisher area has received 329 mm of cumulative rainfall since April 1, 2013.

Topsoil moisture conditions on cropland are rated as 20 per cent surplus, 77 per cent adequate and three per cent short. Hay land and pasture moisture is rated as 18 per cent surplus, 77 per cent adequate and five per cent short. Crop districts 1A and 2B are reporting that 34 per cent and 25 per cent of acres, respectively, have surplus topsoil moisture.

Livestock producers have 60 per cent of the hay crop cut and 36 per cent has been baled or put into silage. Hay quality is rated as 15 per cent excellent, 67 per cent good and 18 per cent fair. Continuous rain has slowed haying operations and decreased the quality of hay in the swath.

The majority of crop damage is due to wind, hail, insects and flooding. Some producers are applying fungicides for leaf disease and fusarium head blight. Producers are busy haying and controlling disease and insects in crops.

Southeast Crop conditions - July 22, 2013							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Flax
% excellent	14	38	23	35	18	26	21
% good	56	51	60	48	61	51	62
% fair	25	9	16	16	16	19	16
% poor	4	2	1	1	4	3	1
% very poor	1	0	0	0	1	1	0
	Canola	Mustard	Pea	Lentil	Canaryseed	Chickpea	Sunflower
% excellent	23	32	19	14	7	N/A	20
% good	61	41	63	48	57	N/A	80
% fair	14	25	16	33	35	N/A	0
% poor	2	2	1	4	1	N/A	0
% very poor	0	0	1	1	0	N/A	0

Estimated Southwest Hay Yields (tons/acre) - July 22, 2013		
	Dry land	Irrigated Land
Alfalfa	1.2	2
Brome/Alfalfa	1.3	2.5
Other Tame Hay	1	1.3
Wild Hay	0.8	1
Greenfeed	1.8	N/A

Southwestern Saskatchewan (Crop District 3ASW – Coronach, Assiniboia and Ogema areas; Crop District 3AN – Gravelbourg, Mossbank, Mortlach and Central Butte areas; Crop District 3B – Kyle, Swift Current , Shaunavon and Ponteix areas; Crop District 4 – Consul, Maple Creek and Leader areas)

Crop and hay conditions vary in the southwest region, depending on precipitation received in the last couple of weeks. Most areas are receiving just enough rain to advance crops and keep pastures green. Precipitation in the area ranged from trace to 55 mm (Mortlach area). The Mankota area has recorded the most amount of rain since April 1, with 337 mm.

Cropland topsoil moisture is rated as 89 per cent adequate, nine per cent short and two per cent very short. Hay land and pasture topsoil moisture is rated as 86 per cent adequate, 12 short and two per cent very short. Crop district 4B is reporting 17 and 33 per cent very short of topsoil moisture on crop land and hay and pasture land, respectively.

Livestock producers have 79 per cent of the hay crop cut and 54 per cent has been baled or put into silage. Hay crop quality is rated as 79 per cent good, 18 per cent fair and three per cent poor. Rain and high humidity are slowing hay operations and causing some quality issues.

Disease, insects, hail and wind have caused the majority of crop damage. Crop development is advanced and there are indications that some pulses are starting to turn.

Farmers are busy haying, controlling disease in crops and getting harvest equipment ready.

Southwest Crop conditions - July 22, 2013							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Flax
% excellent	11	6	18	16	3	17	10
% good	63	63	71	71	80	75	74
% fair	19	27	11	13	17	8	16
% poor	7	4	0	0	0	0	0
% very poor	0	0	0	0	0	0	0
	Canola	Mustard	Pea	Lentil	Canaryseed	Chickpea	Sunflower
% excellent	13	13	23	18	11	10	N/A
% good	71	78	69	64	71	78	N/A
% fair	14	9	7	15	15	11	N/A
% poor	2	0	1	2	3	1	N/A
% very poor	0	0	0	1	0	0	N/A

Estimated East-Central Hay Yields (tons/acre) - July 22, 2013		
	Dry land	Irrigated Land
Alfalfa	1.5	N/A
Brome/Alfalfa	1.4	N/A
Other Tame Hay	1.4	N/A
Wild Hay	1.2	N/A
Greenfeed	2	N/A

East-Central Saskatchewan (Crop District 5 – Melville, Yorkton, Cupar, Kamsack, Foam Lake, Preeceville and Kelvington areas; Crop District 6A – Lumsden, Craik, Watrous and Clavet areas)

Crop development is advancing, although rain and hail reported in the last couple of weeks has caused some crop and hay damage. High humidity has many farmers trying to control disease and has resulted in some hay producers turning swaths to help dry them out. Precipitation recorded ranged from 10 to 64 mm (Goodeve area). In the east-central region, the highest cumulative rainfall since April 1, 2013, has been recorded in the Humboldt area, which received 340 mm.

Cropland topsoil moisture is rated as 14 per cent surplus, 85 per cent adequate and one per cent short. Hay land and pasture topsoil moisture is rated as 12 per cent surplus, 87 per cent adequate and one per cent short. Crop district 5A is reporting 25 per cent of cropland acres and 20 per cent of hay land and pasture acres to have surplus moisture.

Livestock producers now have 57 per cent of the hay crop cut and 36 per cent baled or put into silage. Hay quality is rated as 71 per cent good and 29 per cent fair.

The majority of crop damage this week was due to flooding, wind, hail and disease.

Farmers are busy haying, controlling disease and insects and getting equipment ready for harvest.

East-Central Crop conditions - July 22, 2013							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Flax
% excellent	18	11	34	40	31	29	45
% good	59	76	59	56	62	61	50
% fair	14	11	6	4	6	9	4
% poor	9	2	1	0	1	1	1
% very poor	0	0	0	0	0	0	0
	Canola	Mustard	Pea	Lentil	Canaryseed	Chickpea	Sunflower
% excellent	27	36	43	37	9	N/A	N/A
% good	59	64	48	49	78	N/A	N/A
% fair	12	0	8	11	13	N/A	N/A
% poor	2	0	1	2	0	N/A	N/A
% very poor	0	0	0	0	0	N/A	N/A

Estimated West-Central Hay Yields (tons/acre) - July 22, 2013		
	Dry land	Irrigated Land
Alfalfa	1.6	2.1
Brome/Alfalfa	1.6	2.3
Other Tame Hay	1.2	N/A
Wild Hay	1.2	N/A
Greenfeed	2.0	N/A

West-Central Saskatchewan (Crop Districts 6B – Hanley, Outlook, Loreburn, Saskatoon and Arelee areas; Crop District 7 – Rosetown, Kindersley, Eston, Major, Kerrobert, Macklin, Wilkie and Biggar areas)

Most areas of the region recorded rainfall this week. Crop reporters have indicated conditions were getting quite dry, so the recent rain has been quite helpful to advance crops and keep pastures green. Some areas are still in need of some moisture, particularly in crop districts 7A and 7B. Rainfall reported in the past week ranged from trace to 42 mm (Major area). The Major area has recorded the highest amount of cumulative rain since April 1, 2013, at 279 mm.

Topsoil moisture conditions are rated as three per cent surplus, 73 per cent adequate and 24 per cent short on cropland. Hay land and pasture topsoil moisture conditions are rated as four per cent surplus, 72 per cent adequate and 24 per cent short. Crop district 7B is reporting 40 per cent short of topsoil moisture on hay and cropland.

Haying operations have progressed quickly for the most part. Rain showers and heavy dew in the mornings have slowed progress in some areas. Livestock producers have 79 per cent of the hay crop cut and 55 per cent baled or put into silage. Hay quality is rated as 18 per cent excellent, 75 per cent good and seven per cent fair.

Very little crop damage was reported in the region. Disease, insects and hail have caused some crop damage in areas.

Producers are busy haying, controlling disease and hauling grain.

West-Central Crop conditions - July 22, 2013							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Flax
% excellent	17	22	29	24	24	28	22
% good	79	66	59	69	64	57	62
% fair	4	12	12	7	12	15	16
% poor	0	0	0	0	0	0	0
% very poor	0	0	0	0	0	0	0
	Canola	Mustard	Pea	Lentil	Canaryseed	Chickpea	Sunflower
% excellent	28	39	30	21	21	0	N/A
% good	57	42	60	68	71	100	N/A
% fair	13	19	9	10	8	0	N/A
% poor	1	0	1	1	0	0	N/A
% very poor	1	0	0	0	0	0	N/A

Estimated Northeast Hay Yields (tons/acre) - July 22, 2013		
	Dry land	Irrigated Land
Alfalfa	1.8	N/A
Brome/Alfalfa	1.6	N/A
Other Tame Hay	1.4	N/A
Wild Hay	1.1	N/A
Greenfeed	1.3	N/A

Northeastern Saskatchewan (Crop District 8 – Hudson Bay, Tisdale, Melfort, Carrot River, Humboldt, Kinistino, Cudworth and Aberdeen areas; Crop District 9AE – Prince Albert, Choiceland and Paddockwood areas)

Rain rolled through the region again this week. Some areas are indicating very wet field conditions and limited road access. Crops have advanced normally. However, some crops were late getting into the ground at seeding, and are now slightly behind normal development. Rainfall in the region ranged from one to 35 mm (Arborfield and Connaught areas). The Vonda area has recorded the highest cumulative rainfall for the region since April 1, 2013, with 329 mm.

Topsoil moisture on cropland is rated as 38 per cent surplus and 62 per cent adequate. Topsoil moisture on hay land and pasture is reported as 34 per cent surplus and 66 per cent adequate. Crop district 8A is reporting 60 and 48 per cent of their respective cropland acres to have surplus moisture.

Livestock producers now have 74 per cent of the hay crop cut and 45 per cent baled or put into silage. Hay quality is rated as 14 per cent excellent, 72 per cent good and 14 per cent fair. Most crop damage this week is attributed to flooding and disease. Many crops are being sprayed with fungicides.

Producers are busy haying, controlling disease and hauling grain.

Northeast Crop conditions - July 22, 2013							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Flax
% excellent	3	0	15	8	14	10	9
% good	47	72	59	55	64	53	69
% fair	37	26	20	32	18	28	18
% poor	13	2	5	3	4	7	3
% very poor	0	0	1	2	0	2	1
	Canola	Mustard	Pea	Lentil	Canaryseed	Chickpea	Sunflower
% excellent	12	N/A	13	N/A	17	N/A	N/A
% good	53	N/A	52	N/A	59	N/A	N/A
% fair	22	N/A	24	N/A	21	N/A	N/A
% poor	12	N/A	9	N/A	2	N/A	N/A
% very poor	1	N/A	2	N/A	1	N/A	N/A

Estimated Northwest Hay Yields (tons/acre) - July 22, 2013		
	Dry land	Irrigated Land
Alfalfa	1.5	N/A
Brome/Alfalfa	1.6	N/A
Other Tame Hay	1.5	N/A
Wild Hay	1	N/A
Greenfeed	2	N/A

Northwestern Saskatchewan (Crop District 9AW – Shellbrook, North Battleford, Big River and Hafford areas; Crop District 9B – Meadow Lake, Turtleford, Pierceland, Maidstone and Lloydminster areas)

Rainfall across most of the region has helped advance crops. Some heat and sunshine would be appreciated to continue with haying operations. Precipitation ranged from three to 42 mm (North Battleford area). The Meadow Lake area has recorded the highest cumulative rainfall in the region since April 1, 2013, with 309 mm.

Topsoil moisture on cropland is rated as six per cent surplus, 87 per cent adequate and seven per cent short. Topsoil moisture on hay land and pasture is reported as four per cent surplus, 89 per cent adequate and seven per cent short.

Livestock producers have the majority of the hay crop cut. However, rain showers and high humidity have slowed baling operations. Producers now have 66 per cent of the hay crop cut and 32 per cent baled or put into silage. Hay quality is rated as 12 per cent excellent, 82 per cent good and six per cent fair.

The majority of crop damage this week is attributed to insects and flooding.

Producers are busy haying and controlling disease.

Northwest Crop conditions - July 22, 2013							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Flax
% excellent	6	5	24	N/A	19	8	5
% good	84	40	67	N/A	73	83	90
% fair	10	55	9	N/A	8	9	5
% poor	0	0	0	N/A	0	0	0
% very poor	0	0	0	N/A	0	0	0
	Canola	Mustard	Pea	Lentil	Canaryseed	Chickpea	Sunflower
% excellent	23	N/A	19	N/A	N/A	N/A	N/A
% good	68	N/A	71	N/A	N/A	N/A	N/A
% fair	8	N/A	10	N/A	N/A	N/A	N/A
% poor	1	N/A	0	N/A	N/A	N/A	N/A
% very poor	0	N/A	0	N/A	N/A	N/A	N/A

Crop Districts and Rural Municipalities in Saskatchewan



Weekly Rainfall

for the week ending July 22, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: July 24, 2013

© 2013 Government of Saskatchewan

Weekly Rainfall Summary

(in millimeters) 1 inch = 25 mm for the period July 16 to 22, 2013

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	2	Mount Pleasant	16	244
	3	Enniskillen	91	339
	33	Moose Creek	N/A	140
	34	Browning	N/A	177
	61	Antler	N/A	351
	63	Moose Mountain	18	293
	64	Brook	19	183
	65	Tecumseh	20	277
1B	91	Maryfield	29	211
	92	Walpole	N/A	80
	122	Martin	22	325
	123	Silverwood	28	259
	124	Kingsley	7	168
	125 A	Chester	14	220
	125 B	Chester	21	210
	151 A	Rocanville	42	235
	151 B	Rocanville	30	221
	153	Willowdale	N/A	N/A
	154	Elcapo	7	258
	155 A	Wolseley	17	245
	155 B	Wolseley	10	204
2A	67	Weyburn	23	259
	68	Brokenshell	27	290
	97	Wellington	4	164
	99	Caledonia	N/A	N/A
2B	127 A	Francis	25.5	243
	127 B	Francis	25.2	191
	129	Bratt's Lake	10.5	191
	131 A	Baildon	13	273
	131 B	Baildon	N/A	257
	156 A	Indian Head	36.5	231
	156 B	Indian Head	33	327
	160 A	Pense	15	251
	160 B	Pense	6	214
	161	Moose Jaw	17	251
	162	Caron	2	213
	191	Marquis	1	143
3ASE	38 A	Laurier	4.6	302
	38 B	Laurier	7	237
	39 A	The Gap	11	225
	39 B	The Gap	10	276
3ASW	10	Happy Valley	5	203
	11	Hart Butte	N/A	205
	12	Poplar Valley	N/A	213
	40 A	Bengough	14	258
	40 B	Bengough	N/A	331
	42	Willow Bunch	21	211
	43 A	Old Post	27	269
	43 B	Old Post	N/A	N/A
	70	Key West	N/A	84
	71	Excel	N/A	193
	72 A	Lake of the Rivers	N/A	N/A
	72 B	Lake of the Rivers	2	2
	73 A	Stonehenge	NIL	282
	73 B	Stonehenge	NIL	250
	74 A	Wood River	NIL	249
	74 B	Wood River	N/A	3
	74 C	Wood River	N/A	N/A
3AN	101	Terrell	6	201
	102	Lake Johnston	N/A	147
	103 A	Sutton	N/A	187
	103 B	Sutton	N/A	N/A
	132 A	Hillsborough	5	231
	132 B	Hillsborough	55	253
	134	Shamrock	N/A	253
	164 A	Chaplin	6	175
	164 B	Chaplin	N/A	N/A
	193 A	Eyebrow	6	160
	193 B	Eyebrow	8	194
	194	Enfield	N/A	N/A
	224	Maple Bush	18	183
3BS	17 A	Val Marie	N/A	290
	17 B	Val Marie	N/A	N/A
	45	Mankota	NIL	337
	75 A	Pinto Creek	3	207
	75 B	Pinto Creek	N/A	257
	76	Auvergne	N/A	198
	77	Wise Creek	NIL	278
	78 A	Grassy Creek	21	303
	78 B	Grassy Creek	8	258
	105	Glenbain	NIL	183
	106	Whiska Creek	NIL	170
	107 A	Lac Pelletier	N/A	205
	107 B	Lac Pelletier	N/A	44
	108	Bone Creek	16	287
3BN	138 A	Webb	NIL	230
	138 B	Webb	NIL	193
	166 A	Excelsior	8	233
	166 B	Excelsior	N/A	N/A
	167	Sask. Landing	7.8	203
	168 A	Riverside	NIL	204
	168 B	Riverside	14.3	265
	226 A	Victory	N/A	134
	226 B	Victory	N/A	30
	228	Lacadena	N/A	186
	255	Coteau	10	144
	257	Monet	16.6	221
4A	19	Frontier	N/A	N/A
	49	White Valley	3	203
	51 A	Reno	5.3	177
	51 B	Reno	N/A	N/A
	79	Arlington	11	317
	109	Carmichael	14	232
	110	Piapot	15	195
	111	Maple Creek	NIL	215
4B	139	Gull Lake	4	190
	141	Big Stick	25	176
	142	Enterprise	N/A	213
	169	Pittville	N/A	187
	231	Happyland	13	158
5A	183 A	Fertile Belt	N/A	318
	183 B	Fertile Belt	34	271
	186	Abernethy	23	164
	211	Churchbridge	25	236
	213	Saltcoats	44	282
	214	Cana	N/A	25
	216	Tullymet	31	174
	217 A	Lipton	N/A	N/A
	241	Calder	39	262
	243	Wallace	22	273
	245 A	Garry	31	233
	245 B	Garry	64	218
	245 C	Garry	N/A	174
	246	Ituna Bon Accord	20	194
	247	Kellross	31	222
	248	Touchwood	30	165
5B	271	Cote	22	286
	273	Sliding Hills	19	186
	277	Emerald	32	208
	305	Invermay	45	270
	307	Elfros	22	217
	308 A	Big Quill	20	183
	308 B	Big Quill	38	237
	331	Livingston	N/A	245
	333	Clayton	N/A	39
	334	Preeceville	24	171
	336	Sasman	22	161
	337 A	Lakeview	18	201
	337 B	Lakeview	N/A	22
	338	Lakeside	12	222
	366	Kelvington	23	182
	367	Ponass Lake	23	201
6A	190 A	Dufferin	54	206
	190 B	Dufferin	12	183
	190 C	Dufferin	11	201
	190 D	Dufferin	N/A	42
	190 E	Dufferin	10	67
	219	Longlaketon	25	218
	220	Mokillop	45	256
	221	Sarnia	20.5	227
	222	Craik	37	271
	251	Big Arm	12	242
	252	Arm River	N/A	145
	279	Mount Hope	14	209
	282	McCraney	16	215
	309	Prairie Rose	N/A	223
	310	Usborne	N/A	N/A
	313	Lost River	N/A	N/A
	339	Leroy	10.2	244
	340	Wolverine	11	290
	341	Viscount	12	260
	343 A	Blucher	14.5	235
	343 B	Blucher	10	105
6B	283	Rosedale	17	214
	284	Rudy	18	201
	285	Fertile Valley	15	161
	286	Milden	N/A	143
	314	Dundurn	13	216
	344	Corman Park	6	129
	346	Perdue	19	178
	376 A	Eagle Creek	NIL	136
	376 B	Eagle Creek	9	176
	403 A	Rosthern	8	187
	403 B	Rosthern	16	229
7A	259	Snipe Lake	10	153
	260 A	Newcombe	N/A	105
	260 B	Newcombe	16	130
	261	Chesterfield	N/A	56
	287	St. Andrews	15	187
	288	Pleasant Valley	18	185
	290 A	Kindersley	21	165
	290 B	Kindersley	20	73
	290 C	Kindersley	10	158
	292	Milton	N/A	192
	317 A	Marriott	N/A	99
	317 B	Marriott	9	172
	317 C	Marriott	N/A	N/A
	318	Mountain View	22	218
	320 A	Oakdale	19	143
	320 B	Oakdale	20	144
	321	Prairiedale	29	134
7B	347 A	Biggar	1	173
	347 B	Biggar	N/A	160
	350 A	Mariposa	7.6	114
	350 B	Mariposa	13	180
	351	Progress	32	173
	352	Heart's Hill	42	279
	377	Glenside	14	188
	378 A	Rosemount	2	136
	378 B	Rosemount	4	188
	379	Reford	7	128
	381	Grass Lake	13	170
	382	Eye Hill	25	193
	409 A	Buffalo	3	221
	409 B	Buffalo	N/A	N/A
	410	Round Valley	N/A	132
	411	Senlac	N/A	N/A
8A	395	Porcupine	18	160
	397	Barrier Valley	25.2	188
	428	Star City	25	263
	456	Arborfield	35	228
	457	Connaught	35	261
	458	Willow Creek	27	192
	486	Moose Range	30	218
	487 A	Nipawin	35	194
	487 B	Nipawin	N/A	N/A
8B	369	St. Peter	1	184
	370	Humboldt	10	199
	371	Bayne	13	280
	372	Grant	14.7	329
	400 A	Three Lakes	N/A	3
	400 B	Three Lakes	12	252
	402	Fish Creek	11	259
	429	Flett's Springs	29	279
	431	St. Louis	N/A	N/A
	459	Kinistino	N/A	254
	460	Birch Hills	21.9	214
9AE	461	Prince Albert	N/A	22
	488	Torch River	23	240
	491	Buckland	15	284
9AW	406	Mayfield	N/A	182
	435	Redberry	17	192
	436	Douglas	26	188
	463	Duck Lake	12	272
	466	Meeting Lake	N/A	N/A
	467 A	Round Hill	42	274
	467 B	Round Hill	23	196
	494	Canwood	N/A	N/A
	496 A	Spiritwood	N/A	N/A
	496 B	Spiritwood	N/A	119
	497	Medstead	24	244
9B	438	Battle River	15	250
	440	Hillsdale	5	206
	442	Manitou Lake	2.9	284
	498 A	Parkdale	31	181
	498 B	Parkdale	15	167
	499 A	Mervin	N/A	223
	499 B	Mervin	N/A	24
	501 A	Frenchman Butte	34	260
	501 B	Frenchman Butte	25	212
	501 C	Frenchman Butte	9	172
	502 A	Britannia	N/A	N/A
	502 B	Britannia	9.5	163
	561	Loon Lake	16	188
	588 A	Meadow Lake	5	207
	588 B	Meadow Lake	17	257
	588 C	Meadow Lake	13	309
	588 D	Meadow Lake	N/A	147
	588 E	Meadow Lake	N/A	N/A
	622	Beaver River	N/A	134

Municipality No: A, B, C, D and E - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Cumulative Rainfall

From: April 1, 2013
To: July 22, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: July 24, 2013

© 2013 Government of Saskatchewan

Cropland Topsoil Moisture Conditions

July 23, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: July 24, 2013

© 2013 Government of Saskatchewan

Hay and Pasture Topsoil Moisture Conditions

July 23, 2013



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan
Ministry of Agriculture

0 25 50 100 150 200
Kilometers
Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Prepared by: Geomatics Services Date: July 24, 2013

© 2013 Government of Saskatchewan